



LED & ARCHITECTURAL LIGHTING

About ELECTRON SA

ELECTRON SA was established in 1978 and since then has been one of the leading manufacturing companies in the commercial lighting field worldwide. The company has been active in the international field for more than twelve years and today exports its products in more than 65 countries worldwide, sealing its dynamic presence by participating in international lighting exhibitions around the world. ELECTRON is located in its 2.800 sq meter building in Athens, Greece.

ELECTRON SA designs, develops and manufactures in Greece Professional Lighting Management Systems, Dimmers, and other Lighting Management Equipment of the latest technology.

ELECTRON is also proud to present the new patent-pending DMR.730 dimmer specially designed for 230V dimmable LEDs that achieves stable output voltage unaffected from mains fluctuations.

In addition, the company presents the new ARLIC and MINI ARLIC architectural lighting control systems for large multi spaces or small installations.

ELECTRON has also launched the Premium Series of wall-mounted multifunctional Controllers, available in different versions to meet individual requirements and specifications: Leading Edge Dimmers, Trailing Edge Dimmers, Relay Switches, HF Fluorescent Controllers, Sine Wave Dimmers, LED Drivers, Dali Drivers.

In addition, ELECTRON designs, develops and manufactures LED power supplies, LED converters, LED boosters, LED controllers, Splitters, Relay packs and other lighting equipment. All products are manufactured with high quality components, such as: MCBs, mains switches, RVD by HAGER, power inlets by MENNEKES-WIELAND-ABL, thyristors and triacs by THOMPSON and so on.

In an effort to cover all requirements ELECTRON SA also designs and develops custom-made Architectural Downlights with Xicato and Bridgelux LEDs with capability of selecting CCT, CRI, lumen output, optics, dimming options, emergency option.

The company also manufactures various solutions of Custom Linear LED fittings (recessed, semi recessed, pendant, trimless, inground) which are built according to the specific project requirements mainly with Nichia or CREE LEDs.

ELECTRON SA also designs a wide range of aluminium profiles for concealed lighting, in ground use, step lighting and so on. All components are from leading suppliers with whom ELECTRON has been collaborating for several years now.

Moreover, ELECTRON SA offers a complete set of architectural luminaires for outdoor and indoor use, specializing in LED technology. The LEDELEC LED range includes indoor and outdoor LED luminaires, decorative LEDs, LED modules, LED lamps, and so on. It offers excellent product quality with high technology and aesthetics that cover even the most demanding applications.

Finally, the Architectural Lighting range includes plaster lighting, indoor and outdoor fixtures.

The Entertainment Lighting and Sound Equipment include Moving Heads, Par Cans, Special Effects, Amplifiers, Conference systems, Loudspeakers 100V, and other equipment.




ELECTRON SA is certified with ISO 9001:2008 for the design, development, production and marketing of professional lighting systems.



ELECTRON SA, PROFESSIONAL LIGHTING SYSTEMS
7 km National Road Athens- Lamia
68, Antiochias Str, N. Philadelphia, 143 41 Athens, Greece

Tel. +30 210 2584240
Fax. +30 210 2584245

info@electron.gr
www.electron.gr



- Any reproduction by means or whole of this prospectus in any way, is prohibited without the written consent and permission of ELECTRON SA • ELECTRON SA reserves the right to alter specifications and other product information and to discontinue any product contained in this catalogue at any time without prior notice.
- Technical data valid at time of going to press.
- Errors and omissions excepted.
- Specifications and data may change without prior notice.
- Please note that the data included in this catalogue reflect statistical and not necessarily actual figures. Variations may occur in terms of the specifications of LEDs, such as CCT/ CRI/ W/ Dimensions, mainly due to the different production bunches of LEDs.

100% LED Installations

ELECTRON SA is proud to present 100% lighting installations, that have been realized with our products. Indicatively, we mention the following projects:

"OROLOI" retail store, Athens, Greece
Installation of custom LED Downlights, custom linear LED fittings, LED converters & power supplies



"Heel" retail store, Piraeus, Greece
Installation of custom LED Downlights, LED converters



Worldwide Projects & Awards

The products of ELECTRON SA have already been installed around the world in hotels, lounges, restaurants, retail shops, showrooms, galleries, private residences, cruise ships, multipurpose rooms, estate halls, theaters, bars, shopping malls, theaters etc. Some projects have gained international awards. Indicatively, we mention the following projects:

"M Ultra Lounge", Mykonos, Greece
Winner of the International Hotel & Property Awards in London 2012



"Lindos Blu Hotel & Suites", Lindos Rhodes, Greece
Gold Medal Winner 2012 and 2011 by TUI Thomson,
Winner of the Travellers' choice 2013, 2012 and 2011 by Tripadvisor



Big Projects & Small Installations

We are eager to offer lighting solutions from a simple and small installation to big and complicated projects. Indicatively, we mention the following project:

Alila Hotel, Rhodes, Greece
Installation of more than 250 custom LED Downlights and more than 1800m linear LED lighting that ELECTRON SA has made according to the specific project requirements





The sales team is eager to suggest the best solutions at the most competitive prices in the market.

The ELECTRON team



The after sales department of the company is always available to our partners for technical information and back up service.



With our 35 year experience and expertise on LED technology and lighting management systems, we are here to design, develop, and manufacture in order to meet your very custom requirements!



The lighting design team ensures the creation of installations with functionality and good aesthetics.



Contents

Plaster Lighting >

Wall Mounted

Wall Recessed

Surface Downlights

Recessed Downlights

Pendant

Plaster Lighting

Wall Mounted

Wall Recessed

Surface Downlights

Recessed Downlights

Pendant



Plaster Lighting
Plaster Lighting

PLASTER LIGHTING




Installation Advice




- Turn off the power before installation



Plaster Lighting
Wall Mounted


CUBE PL /
FAROS-P





Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 
PWM.001	CUBE PL	G9	40W	220-240VAC	Not included	0.68Kg	IP20
PWM.011	FAROS-P	E14	40W	220-240VAC	Not included	2.41Kg	IP20



PWM.001
CUBE PL
Light Emission









PWM.011
FAROS-P
Light Emission







Plaster Lighting
Wall Mounted

PRICL /
BOWL /
CURB







Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PWM.005	PRICL	E14	40W	220-240VAC	Not included	0.82Kg	IP20	
PWM.006	BOWL	E14	40W	220-240VAC	Not included	0.76Kg	IP20	
PWM.007	CURB	2xE14	2x40W	220-240VAC	Not included	1.32Kg	IP20	








Plaster Lighting
Wall Mounted

WAVE /
VISION /
JUGER





Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PWM.002	WAVE	R7S	100W	220-240VAC	Not included	2.08Kg	IP20	
PWM.003	VISION	E14	40W	220-240VAC	Not included	0.76Kg	IP20	
PWM.004	JUGER	E14	40W	220-240VAC	Not included	1.1Kg	IP20	




Plaster Lighting
Wall Mounted

CAFÉ / MENSA




Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PWM.010	CAFÉ	G9	40W	220-240VAC	Not included	1.10Kg	IP20	
PWM.014	MENSA	E14	40W	220-240VAC	Not included	1.50Kg	IP20	

PWM.010
CAFÉ
Light Emission







PWM.014
MENSA
Light Emission



Plaster Lighting
Wall Mounted

EUROPA / IDA




Code	Model	LED Colour*	Watt	Constant Current	LED			IP 
PWM.015	EUROPA	WARM WHITE	1x3W	700mA	Included	1.05Kg	182x122mm	IP20
PWM.016	IDA	WARM WHITE	2x2W	500mA	Included	0.60Kg	102x102mm	IP20




* Available in Cool White & Blue upon request.

PWM.015
EUROPA
Light Emission









PWM.016
IDA
Light Emission





Plaster Lighting
Wall Mounted

LETO / JUNO



Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PWM.012	LETO	G9	40W	220-240VAC	Not included	0.75Kg	IP20	
PWM.013	JUNO	G9	40W	220-240VAC	Not included	0.5Kg	IP20	



Plaster Lighting
Wall Recessed



EMILOS / IKTINOS



PWR.009

EMILOS



Light Emission








PWR.008

IKTINOS

Light Emission







Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PWR.009	EMILOS	G9	40W	220-240VAC	Not included	3.6Kg	402x402mm	IP20	
PWR.008	IKTINOS	E14	40W	220-240VAC	Not included	3.9Kg	312x252mm	IP20	

*Suitable for plasterboard 9mm-15mm



Plaster Lighting
Wall Recessed

URGO PL /
URGO SLEEK



Code	Model	LED Source	Watt	Constant Current	LED			IP 	
PWR.001	URGO PL	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.64Kg	145x172mm	IP20	
PWR.002	URGO SLEEK	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.64Kg	145x172mm	IP20	





*Suitable for plasterboard 9mm-15mm



Plaster Lighting
Wall Recessed

CIRCLE PL /
CIRCLE LPL



Code	Model	LED Source	Watt	Constant Current	LED			IP 	
PWR.004	CIRCLE PL	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.08Kg	162x182mm	IP20	
PWR.003	CIRCLE LPL	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.30Kg	202x202mm	IP20	

*Suitable for plasterboard 9mm-15mm

LED OPTIONS



LED 302
1W/350mA / CW



LED 303
1W/350mA / WW






LED 304
1W/350mA / BLUE






Not included

PWR.004
CIRCLE PL
Light Emission



PWR.003
CIRCLE LPL
Light Emission




Plaster Lighting
Wall Recessed


CERES L /
CERES







PWR.012
CERES L
Light Emission





PWR.013
CERES
Light Emission



Code	Model	LED Source	Watt	Constant Current	LED			IP 	
PWR.012	CERES L	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.62Kg	182x122mm	IP20	
PWR.013	CERES	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.62Kg	102x102mm	IP20	





*Suitable for plasterboard 9mm-15mm

LED OPTIONS	
 LED.302 1W /350mA / CW LED.303 1W /350mA / WW LED.304 1W /350mA / BLUE	 Not included



Plaster Lighting
Wall Recessed

NECK /
SHAPE /
TEAR

Code	Model	LED Source	Watt	Constant Current	LED			IP 	
PWR.005	NECK	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.00Kg	145x232mm	IP20	
PWR.006	SHAPE	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.88Kg	110x247mm	IP20	
PWR.007	TEAR	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.18Kg	103x322mm	IP20	

*Suitable for plasterboard 9mm-15mm

LED OPTIONS






LED.302
1W/350mA / CW
LED.303
1W/350mA / WW
LED.304
1W/350mA / BLUE






Not included




PWR.005
NECK
Light Emission



PWR.006
SHAPE
Light Emission












PWR.007
TEAR
Light Emission



Plaster Lighting
Wall Recessed

MYRON /
BEAM






Code	Model	Lamp Holder / Lamp Source	Watt	Voltage				IP 	
PWR.010	MYRON	LED SOURCE Warm White	12W	230VAC	Included	2.53Kg	302x182mm	IP20	
PWR.011	BEAM	Gx5.3 / MR16	35W	12VAC	Not included	1.53Kg	352x102mm	IP20	

*Suitable for plasterboard 9-15mm




Plaster Lighting
Surface Downlights

ATLAS

Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 
PCS.003	ATLAS	GU10	35W	220-240VAC	Not included	1.98Kg	IP20








PCS.003
ATLAS
Light Emission



Plaster Lighting
Surface Downlights

BAREL ROUND /
BAREL SQUARE







Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 
PCS.001	BAREL ROUND	Gx5.3	35W	12VAC	Not included	1.2Kg	IP20
PCS.002	BAREL SQUARE	Gx5.3	35W	12VAC	Not included	1.6Kg	IP20






Plaster Lighting
Surface Downlights


ARIES ROUND /
ARIES SQUARE

Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PCS.004	ARIES ROUND	AR111	100W	12VAC	Not included	3.4Kg	IP20	
PCS.005	ARIES SQUARE	AR111	100W	12VAC	Not included	4.5Kg	IP20	

PCS.004
ARIES ROUND
Light Emission






PCS.005
ARIES SQUARE
Light Emission








Plaster Lighting

Recessed Downlights

SEAMLESS
ROUND /
SQUARE SHORT /
SQUARE WASH 45°









Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.007	SEAMLESS ROUND	Gx5.3	35W	12VAC	Not included	0.34Kg	Φ 132mm	IP20	
PCR.001	SEAMLESS SQUARE SHORT	Gx5.3	35W	12VAC	Not included	0.20Kg	102x102mm	IP20	
*Suitable for plasterboard 12mm									
PCR.003	SEAMLESS SQUARE WASH 45°	Gx5.3	35W	12VAC	Not included	0.55Kg	122x122mm	IP20	
*Suitable for plasterboard 9mm-15mm									



Plaster Lighting
Recessed Downlights


SEAMLESS
SQUARE /
SQUARE x2




Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.002	SEAMLESS SQUARE	Gx5,3	35W	12VAC	Not included	0.44Kg	120x120mm	IP20	
PCR.004	SEAMLESS SQUARE x2	2xGx5,3	2x35W	12VAC	Not included	0.94Kg	120x217mm	IP20	

*Suitable for plasterboard 12mm

PCR.002
SEAMLESS SQUARE
Light Emission








PCR.004
SEAMLESS SQUARE x2
Light Emission



Plaster Lighting
Recessed Downlights


SEAMLESS SQUARE
ADJUSTABLE /
ADJUSTABLE x2




Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.005	SEAMLESS SQUARE ADJUSTABLE	Gx5.3	35W	12VAC	Not included	0.84Kg	157x157mm	IP20	
PCR.006	SEAMLESS SQUARE ADJUSTABLE x2	2xGx5.3	2x35W	12VAC	Not included	1.56Kg	157x282mm	IP20	

*Suitable for plasterboard 9mm-15mm

PCR.005
SEAMLESS SQUARE ADJUSTABLE
Light Emission



PCR.006
SEAMLESS SQUARE ADJUSTABLE x2
Light Emission




Plaster Lighting
Recessed Downlights


SEAMLESS ROUND
ADJUSTABLE /
ADJUSTABLE x2








PCR.008
SEAMLESS ROUND ADJUSTABLE
Light Emission



PCR.009
SEAMLESS ROUND ADJUSTABLE x2
Light Emission








Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.008	SEAMLESS ROUND ADJUSTABLE	Gx5.3	35W	12VAC	Not included	0.72Kg	Φ 157mm	IP20	
PCR.009	SEAMLESS ROUND ADJUSTABLE x2	2xGx5.3	2x35W	12VAC	Not included	1.54Kg	158x258mm	IP20	

*Suitable for plasterboard 9mm-15mm

Plaster Lighting
Recessed Downlights


SEAMLESS CURVE
ADJUSTABLE



Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.010	SEAMLESS CURVE ADJUSTABLE	Gx5.3	35W	12VAC	Not included	0,68Kg	Φ 157mm	IP20	

*Suitable for plasterboard 9mm-15mm






PCR.010
SEAMLESS CURVE ADJUSTABLE
Light Emission




Plaster Lighting
Recessed Downlights

INVISIBLE SQUARE
ADJUSTABLE



Code	Model	Lamp Holder	Maximum Consumption	Voltage				IP 	
PCR.011	INVISIBLE SQUARE ADJUSTABLE	AR111	50W	12VAC	Not included	2.14Kg	252x252mm	IP20	

*Suitable for plasterboard 9mm-15mm






Plaster Lighting
Recessed Downlights


INVISIBLE
SQUARE /
ROUND








PCR.015
INVISIBLE SQUARE
Light Emission




PCR.016
INVISIBLE ROUND
Light Emission




Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.015	INVISIBLE SQUARE	AR111	50W	12VAC	Not included	1.53Kg	202x202mm	IP20	
PCR.016	INVISIBLE ROUND	AR111	50W	12VAC	Not included	0.97Kg	Φ 202mm	IP20	






*Suitable for plasterboard 9mm-15mm



Plaster Lighting
Recessed Downlights

INVISIBLE ROUND
ADJUSTABLE /
ADJUSTABLE x2



Code	Model	Lamp Holder	Maximum Consumption	Voltage				IP 	
PCR.012	INVISIBLE ROUND ADJUSTABLE	AR111	50W	12VAC	Not included	2.06Kg	Φ 252mm	IP20	
PCR.013	INVISIBLE ROUND ADJUSTABLE x2	2xAR111	2x50W	12VAC	Not included	3.74Kg	252x408mm	IP20	






*Suitable for plasterboard 9mm-15mm




Plaster Lighting
Recessed Downlights

INVISIBLE CURVE
ADJUSTABLE






Code	Model	Lamp Holder	Maximum Consumption	Voltage				IP 	
PCR.014	INVISIBLE CURVE ADJUSTABLE	AR111	50W	12VAC	Not included	1.22Kg	Φ 222mm	IP20	






*Suitable for plasterboard 9mm-15mm



Plaster Lighting
Recessed Downlights

EXENS /
SPACE-O /
SPACE-Z







Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.018	EXENS	2xE27	2x40W	220-240VAC	Not included	2.87Kg	Φ 332mm	IP20	
PCR.019	SPACE-O	2xE27	2x40W	220-240VAC	Not included	4.82Kg	Φ 262mm	IP20	
PCR.020	SPACE-Z	2xE27	2x40W	220-240VAC	Not included	2.5Kg	242x242mm	IP20	

*Suitable for plasterboard 9mm-15mm

Plaster Lighting
Recessed Downlights

ART-R



Code	Model	Lamp Holder	Maximum Consumption	Voltage				IP 
PCR.017	ART-R	E27	40W	220-240VAC	Not included	2.3Kg	Φ 273mm	IP20


*Suitable for plasterboard 9mm-15mm



PCR.017

ART-R

Light Emission





Plaster Lighting
Recessed Downlights

TEIDE XXL



PCR.021
TEIDE XXL
Light Emission




Code	Model	Lamp Holder	Voltage				IP 	
------	-------	-------------	---------	---	---	---	--	--

PCR.021	TEIDE XXL	4xE27	220-240VAC	Not included	16.3Kg	Φ 1040mm	IP20	
---------	-----------	-------	------------	--------------	--------	----------	------	--

*Suitable for plasterboard 9-15mm

DORADO

PCR.024
DORADO
Light Emission



Code	Model	LED Strip*			IP 	
------	-------	------------	---	---	--	---

PCR.024	DORADO	Not included	7.18Kg	602x602mm	IP20	
---------	--------	--------------	--------	-----------	------	--

*WARM WHITE / NEUTRAL WHITE / COOL WHITE / RGB at 28.8W, 24VDC upon request
**Suitable for plasterboard 9-15mm




Plaster Lighting
Pendant

DORIS /
IRIS /
METIS

PCP.001

DORIS


Light Emission



PCP.002

IRIS


Light Emission







PCP.003

METIS

Light Emission








Code	Model	Lamp Holder	Maximum Consumption	Voltage				
PCP.001	DORIS	E27	40W	220-240VAC	Not included	3.1Kg	IP20	
PCP.002	IRIS	E27	40W	220-240VAC	Not included	3.4Kg	IP20	
PCP.003	METIS	E27	40W	220-240VAC	Not included	2Kg	IP20	



Architectural Lighting


SHARP ROUND SHARP SQUARE

Plaster Lighting Recessed Downlights


Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PCR.023	SEAMLESS ROUND	Gx5.3	35W	12VAC	Not included	0.42Kg	80x80mm	IP20	
PCR.022	SEAMLESS SQUARE	Gx5.3	35W	12VAC	Not included	0.36Kg	80x80mm	IP20	

*Suitable for plasterboard 9-15mm


PCR.023
SHARP ROUND
Light Emission




PCR.022
SHARP SQUARE
Light Emission



RIO L SQUARE LED Track Lights





Code	Model	Colour	Lamp Holder	Maximum Consumption	Dimensions	Weight		
ASL.061	RIO L Square	WHITE	GU10	50W	70x70x77mm	0.40kg	IP20	Not included




- Recessed non-movable spots
- Die-cast aluminium
- For MR16 lamps
- Outdoor use
- Ideal for lighting in bathrooms, spa, fitting rooms, etc.


AVRA Outdoor Spots

IP65

Code	Colour	Glass	Lamp	Maximum Consumption			Diameter	Type		
ALE.032	NICKEL BRUSH	Frosted	MR16	35W	70mm	84mm	Fixed	IP65		Not included
ALE.033	WHITE	Frosted	MR16	35W	70mm	84mm	Fixed	IP65		
ALE.056	NICKEL BRUSH	Clear	MR16	35W	70mm	84mm	Fixed	IP65		
ALE.057	WHITE	Clear	MR16	35W	70mm	84mm	Fixed	IP65		

*Available in square shape upon request





[Contents](#)



www.fibreled.com