




B R // G H T[®]
SPECIAL LIGHTING

fibreLED

LED Lighting Specialists


fibreled.com



PENDANT			WALL			TABLE		
VERNO		252-257	PONOS		292-295	VERNO - PENDO		324-325
PENNA - DICTO		258-259	PENNA		296-297	PENNA		326-327
DONE		260-261	CURA		298-299	FUMO - DICTO - DONE		328-329
TORRIS		262-263	DONE - ABACUS - DICTO		300-301	AVOLO		330-333
SILVA - SERRA		264-265	BELL		302-305	VECTIS - TORRIS - TALIS		334-335
BELL		266-269	CENA - SILVA		306-307			
PENDO - FERUS		270-271	AVOLO		308-311			
AVOLO		272-275	FERUS		312-313			
BALLA - FURO		276-277	ACUS		314-315			
BOOK		278-279	TORRIS		316-317	VERNO - PENNA		336-337
AMOR - SFERA		280-281	PENDO - TERES		318-319	PONOS - PENDO		338-339
PONOS		282-283	UP DOWN - COLIDO		320-321	CENA - BELL		340-341
DRES - CANTUS		284-285	RATUS - COMIS - LATER		322-323	TORRIS - ABACUS		342-343
CEILING						FLOOR		
AVOLO		286-287				DICTO - DONE		344-345
TORRIS - VANILLA		288-289				NOTUS - OCULUS		346-347
ARMUS - CIRCUS		290-291				AVOLO - BALLA		348-349

VERNO


VERNO 30 LR



TECHNICAL DETAILS

Housing: Metal frame
Diffuser: Suede material
IP: 20 **IK:** 03

COLORS



ACCESSORIES




COLORED
CABLE


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp


VERNO 38 LR




VERNO 32 LR




VERNO 40 LR




VERNO 33 LR




VERNO 41 LR



VERNO 34 LR



VERNO 42 LR




Lamp replacement without tools

VERNO

VERNO 6 T




Diffuser: Plastic opal cover




VERNO 7 T




Diffuser: Plastic opal cover



VERNO 8 T




VERNO V1



TECHNICAL DETAILS

Housing: Metal frame
Diffuser: Lampshade fabric
IP: 20 IK: 03

COLORS



ACCESSORIES




COLORLED CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

VERNO 17




VERNO 10




Housing: Metal frame
IP: 20 IK: 03

VERNO 12




VERNO 20




VERNO


VERNO 1 30




VERNO 1 T30



VERNO 2 60




VERNO 2 T60



TECHNICAL DETAILS

Housing: Metal frame
Diffuser: Lampshade fabric
IP: 20 **IK:** 05

COLORS



ACCESSORIES




COLORED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

Lamp replacement without tools


VERNO 3



VERNO 4




VERNO 4 T




PENNA

PENNA 1 SP




PENNA 3 SP



TECHNICAL DETAILS

Housing: Extruded aluminium
Diffuser: Lampshade fabric
IP: 20 **IK:** 04

COLORS



ACCESSORIES



COLORLED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

PENNA 1 SP:

Classic/E14/E17/230V LED Lamp


Lamp replacement without tools

PENNA 12 SP



Housing: Cast-pressed aluminium /
Opal extruded PMMA


PENNA 40 SP




Diffuser: Plastic opal cover

DICTO

DICTO 1 SP




DICTO 1 SP SMALL



TECHNICAL DETAILS

Housing: Metal frame
IP: 20 **IK:** 05

COLORS



ACCESSORIES



COLORLED
CABLE

LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

DICTO 1 SP SMALL:

Classic/E14/E17/230V LED Lamp


Lamp replacement without tools



INTERIOR

DONE


DONE 1



TECHNICAL DETAILS

Housing: Pressed aluminium / Pressed formed steel
IP: 20 **IK:** 04

COLORS



ACCESSORIES



COLORED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

DONE 1:

Classic/E14/E17/230V LED Lamp


Lamp replacement without tools

DONE 4 SP 2F




Rotation: Vertical 180°

DONE 2




DONE 4 SP 3F



Rotation: Vertical 180°


BRIGHT's collection are an exclusive and quality product intended for Architects, Interior Designers and people who are looking for a lighting solution for their home and environment, that combines functionality to design, without compromises.

DONE 3




TORRIS


TORRIS SP 30




TORRIS SP 90



TORRIS 3 DZ




TORRIS 2 SP 3F



TECHNICAL DETAILS

Housing: Extruded aluminium
Control Gear: Built-in electronic transformer
IP: 20 **IK:** 08

COLORS



ACCESSORIES




COLORED
CABLE

LIGHTING SOURCES


PAR16/GU10/230V LED Lamp
MR16/GU5.3/12V LED Lamp

Lamp replacement without tools

TORRIS PENDO SP




PAR30/E27/E26/230V LED Lamp




INTERIOR

SILVA

SILVA 10




SILVA 12



TECHNICAL DETAILS

Housing: Pressed aluminium
IP: 20 **IK:** 03

COLORS



ACCESSORIES



COLORED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

Lamp replacement without tools



SERRA


SERRA



TECHNICAL DETAILS

Housing: Pressed aluminium
IP: 20 **IK:** 03

COLORS



ACCESSORIES



COLORED
CABLE


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp


Lamp replacement without tools

Ceilings are the ideal place for installing lighting fixtures. BRIGHT's interior luminaires can be pendant mounted to ensure the ideal solution. Our suspended fittings are designed to guarantee that the best lamps are used, in order to produce the perfect light color and achieve optimum light efficiency and visual comfort.


BELL 6 SP




BELL 6 SP GRID



BELL 15 SP



BELL 15 SP GRID




TECHNICAL DETAILS

Housing: Pressed aluminium

IP: 20 **IK:** 02

COLORS



ACCESSORIES




COLORED
CABLE

LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools


BELL 22



INTERIOR

BELL

BELL 9 GRID



TECHNICAL DETAILS

Housing: Pressed formed steel
IP: 40 **IK:** 02

COLORS



ACCESSORIES




COLORLED
CABLE


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp


BELL 12




BELL 10 GRID



BELL 14



BELL 11 GRID




Choosing interior lighting that represent your style and interests, creates a space that reflects who you are. Whether you are decorating a new space from the beginning or updating an older room, adding just a few accents can tie together your overall design for a finished space to be proud of.


Lamp replacement without tools

PENDO

PENDO SP 50



PENDO 1 LUX




TECHNICAL DETAILS

Housing: Extruded aluminium

IP: 20 **IK:** 08

COLORS



ACCESSORIES




COLORED
CABLE

LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools


PENDO SP 50 PLEXY



Diffuser: Matt opal cover of extruded PMMA

IP: 40 **IK:** 05


PENDO M SP 40



PAR16/GU10/230V LED Lamp
PAR20/E27/E26/230V LED Lamp

FERUS

FERUS SP LED




TECHNICAL DETAILS

Housing: Extruded aluminium

Control Gear: Built-in electronic driver

IP: 40 **IK:** 08

COLORS



ACCESSORIES



COLORED
CABLE

LIGHTING SOURCES

1x H.P. LED | CRI80 | 2700K / 3000K / 4000K

1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W

1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W


LED replacement with tools



AVOLO

Light your living area with our interior lighting range. In this range we pick up latest trends and technology. Depending on your preferences and with right fittings, you can design the right atmosphere in every room.

AVOLO SP



TECHNICAL DETAILS

Housing: Pressed formed steel

Diffuser: Opal glass

IP: 40 **IK:** 02


COLORS

- | | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

AVOLO SP 2F




AVOLO SP 3F



Lamp replacement without tools

MINI AVOLO

MINI AVOLO SP



TECHNICAL DETAILS

Housing: Pressed formed steel

Diffuser: Opal glass

IP: 40 **IK:** 02


COLORS

- | | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |


LIGHTING SOURCES

Halopin/G9/230V LED Lamp

MINI AVOLO DZ SP




MINI AVOLO DZ SP 2



Lamp replacement without tools

AVOLO M


AVOLO M A SP



TECHNICAL DETAILS

Housing: Opal glass
IP: 40 **IK:** 02

COLORS



ACCESSORIES




COLORED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

AVOLO M A 1 SP 2F



Housing: Pressed formed steel
Diffuser: Opal glass


AVOLO M A 1 SP 3F



Lamp replacement without tools

MINI AVOLO A


MINI AVOLO A DZ SP



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Opal glass
IP: 40 **IK:** 02

COLORS



ACCESSORIES




COLORED
CABLE



LIGHTING SOURCES

Halopin/G9/230V LED Lamp

MINI AVOLO A SP 5F




MINI AVOLO A SP 6F



The Suspended fittings are ideal for various types of environments that require illumination from the top, whether at home or at work. According to the atmosphere that you want to create, the suspended light can represent an actual furnishing object of sought-for design, or a detail that is naturally integrated in the surrounding space.


MINI AVOLO A DZ SP 2




Lamp replacement without tools

BALLA

BALLA




BALLA OVAL



TECHNICAL DETAILS

Housing: Opal glass
IP: 40 **IK:** 02

COLORS



ACCESSORIES




COLORLED
CABLE

LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp


Lamp replacement without tools

BALLA CUT



IP: 20 **IK:** 02


BALLA SP 3F



Housing: Pressed formed steel
Diffuser: Opal glass

FURO


FURO SP



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Opal glass
IP: 20 **IK:** 03

COLORS



ACCESSORIES




COLORLED
CABLE

LIGHTING SOURCES

PAR16/GU10/230V LED Lamp
Halopin/G9/230V LED Lamp


Lamp replacement without tools

FURO 2 SP



Classic D120/E27/E26/230V LED Lamp


BOOK 1



TECHNICAL DETAILS

Housing: Metal frame
IP: 20 IK: 07

COLORS



ACCESSORIES





COLORED
CABLE


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp


BOOK 2



BOOK 5



BOOK 5 SMALL





Lamp replacement without tools



AMOR


AMOR 6



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Lampshade fabric
IP: 20 **IK:** 02

COLORS



ACCESSORIES



COLORLED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp



Lamp replacement without tools

SFERA


SFERA 3



TECHNICAL DETAILS

Housing: Pressed formed steel
IP: 20 **IK:** 02

COLORS




LIGHTING SOURCES

Classic D120/E27/E26/230V LED Lamp


Lamp replacement without tools

PONOS


PONOS COLOR TORRIS 1F



PONOS COLOR TORRIS 7F




PONOS COLOR TORRIS 9F



TECHNICAL DETAILS

Housing: Extruded aluminium
IP: 20 **IK:** 02

COLORS



ACCESSORIES




COLORED
CABLE

LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp


Lamp replacement without tools

PONOS SHAPE 3




Housing: Metal frame
Diffuser: Lampshade fabric


PONOS SHAPE 5



PONOS SHAPE 7




PONOS SHAPE 9



DORES


DORES PL



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Opal polycarbonate
Control Gear: Remote electronic transformer
IP: 40 **IK:** 06



COLORS



LIGHTING SOURCES

LED Strip 24V | CRI>80 | 3000K / 4000K
120 LED/m - 9.6W/m - 720Lm/m / 840Lm/m
70 LED/m - 15W/m - 2000Lm/m / 2100Lm/m
Lifetime: >30.000h | Cutting per 10cm or 6 LEDs


DORES SQ



LED replacement with tools

CANTUS

CANTUS 1




TECHNICAL DETAILS

Housing: Opal plexiglass
IP: 40 **IK:** 03

LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

CANTUS 3




Lamp replacement without tools



INTERIOR

AVOLO

AVOLO M A 4F



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Opal glass
IP: 40 **IK:** 02

COLORS

-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER



LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

MINI AVOLO

MINI AVOLO A 6F



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Opal glass
IP: 40 **IK:** 02

COLORS

-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER


LIGHTING SOURCES

Halopin/G9/230V LED Lamp

Lamp replacement without tools

TORRIS

TORRIS 3 CEILING



TECHNICAL DETAILS
Housing: Extruded aluminium
Control Gear: Built-in electronic transformer
IP: 40 **IK:** 07

COLORS

-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER


LIGHTING SOURCES
PAR16/GU10/230V LED Lamp
MR16/GU5.3/12V LED Lamp



Lamp replacement without tools

VANILLA


VANILLA



TECHNICAL DETAILS
Housing: Opal glass
IP: 30 **IK:** 01

LIGHTING SOURCES
Classic/E27/E26/230V LED Lamp


VANILLA SQUARE



Lamp replacement without tools

FIRMUS


FIRMUS



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Opal polycarbonate
IP: 40 **IK:** 02

COLORS




LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

CIRCUS

CIRCUS 1




TECHNICAL DETAILS

Housing: Cast-pressed aluminium
IP: 30 **IK:** 04

LIGHTING SOURCES

MLF/230V LED Lamp


CIRCUS 2



Lamp replacement without tools

PONOS

PONOS 13




TECHNICAL DETAILS
Housing: Pressed formed steel
Diffuser: Lampshade fabric
IP: 20 **IK:** 04

COLORS


-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER

LIGHTING SOURCES
Classic/E14/E17/230V LED Lamp


PONOS 14




PONOS SQ 47 H.P.LED




PONOS SQ 43 H.P.ED



PONOS 15




PONOS SQ 49 H.P.LED



Control Gear: Built-in electronic driver
Classic/E14/E17/230V LED Lamp
Spot H.P. LED | CRI80 | 2700K / 3000K / 4000K
1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W
1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W

PONOS


PONOS 18



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Lampshade fabric
IP: 20 **IK:** 04


COLORS



LIGHTING SOURCES

Classic/E14/E17/230V LED Lamp

PONOS SQ 48



PONOS SQ 46 IN H.P. LED




Spot H.P. LED | CRI80 | 2700K / 3000K / 4000K
1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W
1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W

PONOS SQ 39 H.P. LED




Control Gear: Built-in electronic driver

PONOS 67



PONOS 68



PONOS MIRROR




Housing: Housing .Metal frame / Mirror
Control gear: Built-in electronic transformer

LED Strip 24V | CRI>80 | 3000K / 4000K
120 LED/m - 9.6W/m - 720Lm/m / 840Lm/m
70 LED/m - 15W/m - 2000Lm/m / 2100Lm/m
Lifetime: >30.000h | **Cutting per 10cm or 6 LEDs**


LED repalcement with tools | Lamp replacement without tools

PENNA

PENNA 10 FERUS H.P.LED




PENNA 10 1F H.P.LED



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Lampshade fabric
Control Gear: Built-in electronic driver
IP: 20 **IK:** 04


COLORS




LIGHTING SOURCES

Classic/E14/E17/230V LED Lamp
Spot H.P. LED | CRI80 | 2700K / 3000K / 4000K
1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W
1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W

PENNA 13



PENNA 12 WALL




Classic/E14/E17/230V LED Lamp



LED replacement with tools | Lamp replacement without tools

CURA

CURA 2




TECHNICAL DETAILS
Housing: Pressed formed steel
Rotation: Vertical 90° / Horizontal 360°
IP: 40 **IK:** 02


- COLORS
- | | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |

LIGHTING SOURCES
Halopin/G9/230V LED Lamp
PAR16/GU10/230V LED Lamp

CURA 3




CURA 4



Lamp replacement without tools

CURA 1




Classic/E14/E17/230V LED Lamp



INTERIOR

DONE

DONE 4 WALL




TECHNICAL DETAILS
Housing: Pressed aluminium / Pressed formed steel
Rotation: Vertical 180°
IP: 20 **IK:** 03

- COLORS
- | | | | | | | |
|--------------|--------------|-------------|-------------|-----------------|-------------|---------------|
| | | | | | | |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |

LIGHTING SOURCES
Classic/E27/E26/230V LED Lamp


DONE 4 WALL 3



Lamp replacement without tools

DICTO

DICTO 1 WALL



Housing: Metal frame
IP: 20 **IK:** 02


- COLORS
- | | | | | | | |
|--------------|--------------|-------------|-------------|-----------------|-------------|---------------|
| | | | | | | |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |

Classic/E14/E17/230V LED Lamp

Lamp replacement without tools

ABACUS

ABACUS WALL




TECHNICAL DETAILS
Housing: Pressed aluminium / Pressed formed steel
Rotation: Horizontal 180°
IP: 20 **IK:** 02

- COLORS
- | | | | | | | |
|--------------|--------------|-------------|-------------|-----------------|-------------|---------------|
| | | | | | | |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |

LIGHTING SOURCES
Classic/E27/E26/230V LED Lamp


ABACUS WALL 2



Lamp replacement without tools

BELL


BELL 6 WALL A



TECHNICAL DETAILS

Housing: Cast-pressed aluminium / Pressed aluminium
IP: 20 **IK:** 04

COLORS




LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

Lamp replacement without tools


BELL 6 WALL R




BELL 6 WALL A GRID




BELL 15 WALL B GRID




BELL 6 WALL B GRID



BELL 6 WALL GRID



BELL 7



TECHNICAL DETAILS

Housing: Pressed formed steel


IP: 20 **IK:** 02

- COLORS
- 10 WHITE
 - 20 BLACK
 - 30 GREY
 - RUSTY BROWN
 - RUSTY GOLD


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

BELL 8




BELL 9 WALL GRID



Lamp replacement without tools

CENA

CENA WALL



TECHNICAL DETAILS

Housing: Pressed formed steel
IP: 20 **IK:** 04

COLORS

-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER


LIGHTING SOURCES

R7s/230V/118mm LED Lamp

Lamp replacement without tools

SILVA

SILVA 10 WALL



TECHNICAL DETAILS

Housing: Pressed aluminium / Pressed formed steel
IP: 20 **IK:** 03

COLORS

-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

AVOLO

AVOLO M A 2 WALL 2F




TECHNICAL DETAILS

Housing: Pressed formed steel

Diffuser: Opal glass

IP: 40 **IK:** 02


COLORS




LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp



AVOLO M A WALL




AVOLO M A 3 WALL 2F




AVOLO M A WALL 3



AVOLO M A 4 WALL 2F




AVOLO M A WALL 15



Lamp replacement without tools

AVOLO

MINI AVOLO A WALL



TECHNICAL DETAILS

Housing: Pressed formed steel

Diffuser: Opal glass

IP: 40 **IK:** 02


COLORS

- | | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |


LIGHTING SOURCES

Halopin/G9/230V LED Lamp


MINI AVOLO WALL




MINI AVOLO A WALL 2




MINI AVOLO WALL 2




MINI AVOLO A WALL 3




MINI AVOLO WALL 3



MINI AVOLO A WALL 4




MINI AVOLO WALL 4




Lamp replacement without tools

FERUS


FERUS 20 H.P.LED




FERUS 20 SQ H.P.LED



FERUS 20 IN H.P.LED




FERUS 20 IN SQ H.P.LED



TECHNICAL DETAILS

Housing: Pressed formed steel / Extruded aluminium
Rotation: Vertical 90° / Horizontal 360°
Control Gear: Built-in electronic driver
IP: 40 **IK:** 05

COLORS



LIGHTING SOURCES


Spot H.P.LED

1.0W - 350mA - CRI80 - 3000K - 155Lm - 155Lm/W
1.0W - 350mA - CRI80 - 4000K - 170Lm - 170Lm/W
1.5W - 500mA - CRI80 - 3000K - 215Lm - 143Lm/W
1.5W - 500mA - CRI80 - 4000K - 230Lm - 153Lm/W

Lenses: 25°/40°/Oval Beam 30°/65° | **Reflector:** 10°/20°
3step MacAdam | Ripple < 3% | Lifetime>50.000h
LM80 test report

LED repalcement with tools | Lamp replacement without tools

FERUS 3 WALL




Housing: Pressed formed steel

Classic/E27/E26/230V LED Lamp



ACUS


ACUS 1 PLEXY H.P.LED




TECHNICAL DETAILS
Housing: Polycarbonate
Control Gear: Remote electronic driver
IP: 40 **IK:** 06

LIGHTING SOURCES
Spot H.P. LED | CRI80 | 2700K / 3000K / 4000K
1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W
1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W


ACUS 2 PLEXY H.P.LED



ACUS 3 PLEXY H.P.LED



ACUS 4 PLEXY H.P.LED




LED replacement with tools



TORRIS

TORRIS 1




TECHNICAL DETAILS
Housing: Extruded aluminium
IP: 20 **IK:** 03


- COLORS
- | | | | | | | |
|--------------|--------------|-------------|-------------|-----------------|-------------|---------------|
| | | | | | | |
| -10
WHITE | -20
BLACK | -30
GREY | -40
GOLD | -75
TITANIUM | -55
INOX | -26
COPPER |

LIGHTING SOURCES
PAR16/GU10/230V LED Lamp

TORRIS 2




TORRIS 3 WALL 3



Lamp replacement without tools

TORRIS 1 BASE




PAR16/GU10/230V LED Lamp
Classic/E14/E17/230V LED Lamp



PENDO

PENDO WALL



TECHNICAL DETAILS

Housing: Extruded aluminium
Diffuser: Optional safety glass
IP: 20 **IK:** 07


COLORS



LIGHTING SOURCES

Halopin/G9/230V LED Lamp

PENDO 2 LUX




Lamp replacement without tools
In case of safety glass diffuser IK turns to 02



TERES


TERES M DZ PLEXY CLEAR



TECHNICAL DETAILS

Housing: Extruded aluminium
Diffuser: Matt opal /clear cover of extruded PMMA
IP: 40 **IK:** 05

COLORS




LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp
PAR30/E27/E26/230V LED Lamp

Lamp replacement without tools

UP DOWN

UP DOWN 6




TECHNICAL DETAILS
Housing: Pressed formed steel
IP: 20 **IK:** 05

COLORS

-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER

LIGHTING SOURCES
R7s/230V/118mm LED Lamp

UP DOWN 7





Halopin/G9/230V LED Lamp

Lamp replacement without tools

COLIDO

COLIDO 1




TECHNICAL DETAILS
Housing: Pressed formed steel
Control Gear: Built-in electronic driver
IP: 30 **IK:** 05

COLORS

-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER

LIGHTING SOURCES
Spot H.P. LED | CRI80 | 2700K / 3000K / 4000K
1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W
1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W


COLIDO 2



LED replacement with tools

RATUS

RATUS



TECHNICAL DETAILS

Housing: Pressed formed steel
IP: 20 **IK:** 02

COLORS

-10

WHITE

-20

BLACK

-30

GREY

-40

GOLD

-75

TITANIUM

-55

INOX

-26

COPPER



LIGHTING SOURCES

S14d/230V LED Lamp

Lamp replacement without tools

LATER

LATER



Control Gear: Built-in electronic transformer

LED Strip 24V | CRI>80 | 3000K / 4000K


120 LED/m - 9.6W/m - 720Lm/m / 840Lm/m

70 LED/m - 15W/m - 2000Lm/m / 2100Lm/m

Lifetime: >30.000h | Cutting per 10cm or 6 LEDs

COMIS

COMIS 4 FERUS 20 SQUARE



TECHNICAL DETAILS

Housing: Pressed formed steel / Extruded aluminium
Rotation: Vertical 90° / Horizontal 360°
Control Gear: Built-in electronic driver
IP: 20 **IK:** 05

COLORS

-10

WHITE

-20

BLACK

-30

GREY

-40

GOLD

-75

TITANIUM

-55

INOX

-26

COPPER

LIGHTING SOURCES

LED Strip 24V | CRI>80 | 3000K / 4000K

120 LED/m - 9.6W/m - 720Lm/m / 840Lm/m

Spot H.P. LED | CRI80 | 2700K / 3000K / 4000K


1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W

1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W


LED replacement with tools

VERNO

VERNO 35 LR TABLE




VERNO 36 LR TABLE



TECHNICAL DETAILS

Housing: Metal frame
Diffuser: Suede material
IP: 20 **IK:** 03

COLORS



ACCESSORIES



COLORED
CABLE


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

PENDO


PENDO TAV 1



TECHNICAL DETAILS

Housing: Extruded aluminium
Diffuser: Lampshade fabric
IP: 20 **IK:** 04

COLORS



ACCESSORIES



COLORED
CABLE


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

PENNA


PENNA 3 TABLE



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Lampshade fabric
IP: 20 **IK:** 04


COLORS




LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp
Classic/E14/E17/230V LED Lamp


PENNA 4 TABLE




PENNA 1




PENNA 4 TABLE MINI



PENNA 1 PLEXY




PENNA 3 PLEXY



Housing: Pressed formed steel / Extruded plexiglass

FUMO

FUMO TABLE 1



TECHNICAL DETAILS

Housing: Pressed formed steel / Concrete
Diffuser: Lampshade fabric
IP: 40 **IK:** 02

COLORS

-10

WHITE

-20

BLACK

-30

GREY

-40

GOLD

-75

TITANIUM

-55

INOX

-26

COPPER

ACCESSORIES



COLORED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp



Lamp replacement without tools

DICTO

DICTO 1 TABLE



Housing: Metal frame

TECHNICAL DETAILS

Housing: Pressed formed steel / Peressed aluminium
IP: 20 **IK:** 02

COLORS

-10

WHITE

-20

BLACK

-30

GREY

-40

GOLD

-75

TITANIUM

-55

INOX

-26

COPPER

ACCESSORIES



COLORED
CABLE

LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

DICTO 1 TABLE:

Classic/E14/E17/230V LED Lamp

DONE

DONE 4 TABLE




Lamp replacement without tools

AVOLO

Table lamps, precious and essential accessories which are present in any space intended for work, study and relax, combine optimal lighting characteristics to a refined design, that makes them even more appealing and pleasant to the eye.

MINI AVOLO A TABLE




TECHNICAL DETAILS
Housing: Pressed formed steel
Diffuser: Opal glass
IP: 40 **IK:** 02

COLORS


-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER

LIGHTING SOURCES
Halopin/G9/230V LED Lamp


MINI AVOLO TABLE




MINI AVOLO A TABLE 2




MINI AVOLO TABLE 2



MINI AVOLO A 1 TABLE 1F




MINI AVOLO A 1 TABLE 2F



Lamp replacement without tools

AVOLO


AVOLO M A TABLE



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Opal glass
IP: 40 **IK:** 02


COLORS



LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

AVOLO M A TABLE CONCRETE




Housing: Pressed formed steel / Concrete

AVOLO M A 2F




AVOLO TABLE




PENNA

PENNA 3 TABLE BALLA



PENNA 3 TABLE BALLA OVAL




Lamp replacement without tools



INTERIOR

VECTIS


VECTIS 3 TABLE



TECHNICAL DETAILS

Housing: Extruded aluminium / Pressed formed steel
Rotation: Vertical 180°
IP: 20 **IK:** 02

COLORS



ACCESSORIES



COLORED
CABLE


LIGHTING SOURCES

PAR16/GU10/230V LED Lamp

Lamp replacement without tools

TORRIS


TORRIS 3 TABLE



TECHNICAL DETAILS

Housing: Cast-pressed aluminium
Diffuser: Plastic opal cover
Controil Gear: Built-in electronic driver
IP: 40 **IK:** 04

COLORS



ACCESSORIES



COLORED
CABLE


LIGHTING SOURCES

Spot H.P. LED | CRI80 | 2700K / 3000K / 4000K
1.0W - 350mA - 150Lm - 150Lm/W / 155Lm - 155Lm/W / 170Lm - 170Lm/W
1.5W - 500mA - 210Lm - 145Lm/W / 215Lm - 148Lm/W / 230Lm - 153Lm/W

LED replacement with tools

TALIS


TALIS 3 TABLE




VERNO

Design of new products are inspired by trends in architecture, driven by technology and based on demand from the market. The design and engineering of each new product aim to add value for all parties involved from specifying to installing.

VERNO 36 LR FLOOR




VERNO 35 LR FLOOR



TECHNICAL DETAILS

Housing: Metal frame
Diffuser: Suede material
IP: 20 **IK:** 03

COLORS



ACCESSORIES



COLORED
CABLE


LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp


Lamp replacement without tools

PENNA

PENNA 3 FLOOR




PENNA 4 FLOOR



TECHNICAL DETAILS

Housing: Pressed formed steel
Diffuser: Lampshade fabric
IP: 20 **IK:** 03

COLORS




LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

PONOS

PONOS 25



TECHNICAL DETAILS
Housing: Pressed formed steel
Diffuser: Lampshade fabric
IP: 20 **IK:** 04

COLORS

						
-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER

LIGHTING SOURCES
Classic/E27/E26/230V LED Lamp



Lamp replacement with tools

PENDO

PENDO TAV



TECHNICAL DETAILS
Housing: Extruded aluminium
Diffuser: Safety glass clear
IP: 20 **IK:** 07

COLORS


						
-10 WHITE	-20 BLACK	-30 GREY	-40 GOLD	-75 TITANIUM	-55 INOX	-26 COPPER

LIGHTING SOURCES
PAR30/E27/E26/230V LED Lamp

Lamp replacement with tools

CENA


CENA FLOOR



TECHNICAL DETAILS

Housing: Pressed formed steel
Rotation: Vertical 90°
IP: 20 **IK:** 04

COLORS




LIGHTING SOURCES

R7s/230V/118mm LED Lamp

Lamp replacement without tools

BELL


BELL 6 TAV GRID



TECHNICAL DETAILS

Housing: Pressed aluminium
IP: 20 **IK:** 02

COLORS




LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

BELL 9 FLOOR




BELL 6 TAV



TORRIS

TORRIS 2 FLOOR




TECHNICAL DETAILS

Housing: Extruded aluminium / Pressed formed steel

Rotation: Vertical 180°

IP: 40 **IK:** 02

COLORS




LIGHTING SOURCES

PAR16/GU10/230V LED Lamp

Lamp replacement without tools

ABACUS

ABACUS FLOOR




TECHNICAL DETAILS

Housing: Pressed formed steel

IP: 20 **IK:** 03

COLORS




LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

ABACUS PENNA FLOOR




Diffuser: Lampshade fabric



INTERIOR

DICTO


DICTO 1 FLOOR



TECHNICAL DETAILS

Housing: Metal frame
IP: 20 **IK:** 02

COLORS




LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools

DONE


DONE 4 FLOOR



TECHNICAL DETAILS

Housing: Pressed aluminium / Pressed formed steel
IP: 20 **IK:** 04

COLORS



LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

Lamp replacement without tools



NOTUS


NOTUS 5 TAV



TECHNICAL DETAILS

Housing: Extruded aluminium
Diffuser: Extruded PMMA
Control Gear: Built-in electronic driver
IP: 40 **IK:** 04

COLORS



LIGHTING SOURCES


T5/T8 LED Lamp

1xLinear LED G4 High Lumen Output | CRI80 | 3000K / 4000K

599mm	- 16W - CRI80 - 2560Lm - 160Lm/W / 2670Lm - 167Lm/W
884mm	- 24W - CRI80 - 3840Lm - 160Lm/W / 4010Lm - 167Lm/W
1166mm	- 32W - CRI80 - 5120Lm - 160Lm/W / 5340Lm - 167Lm/W
1449mm	- 40W - CRI80 - 6400Lm - 160Lm/W / 6680Lm - 167Lm/W
1729mm	- 48W - CRI80 - 7680Lm - 160Lm/W / 8010Lm - 167Lm/W

3step MacAdam | Ripple < 3% | Lifetime>50000h
LM80 test report | Transmittance: 70%
Special diffusers UGR ≤ 19

II NOTUS 5 TAV 3



Diffuser: Cross

1xLinear LED G4 High Lumen Output | CRI80 | 3000K / 4000K


599mm - 16W - CRI80 - 2560Lm - 160Lm/W / 2670Lm - 167Lm/W



Energy saving without compromising performance, efficiency and comfort. To achieve a solution where aesthetics, performance, energy consumption and easy installation are included is what Bright does.

LED replacement with tools

OCULUS TAV




2xLinear LED G4 High Lumen Output | CRI80 | 3000K / 4000K

599mm - 32W - CRI80 - 5120Lm - 160Lm/W / 5340Lm - 167Lm/W


MINI AVOLO

Our floor lamp range offers a wide range of lighting solutions. Direct and direct indirect fittings with developed diffusers in order to obtain homogenous diffused lighting.

MINI AVOLO A FLOOR



MINI AVOLO FLOOR




TECHNICAL DETAILS

Housing: Pressed formed steel

Diffuser: Opal glass

IP: 40 **IK:** 02

COLORS




LIGHTING SOURCES

Halopin/G9/230V LED Lamp

Lamp replacement without tools

BALLA

BALLA FLOOR



TECHNICAL DETAILS

Housing: Pressed formed steel

Diffuser: Opal glass

IP: 40 **IK:** 02

COLORS




LIGHTING SOURCES


Classic/E27/E26/230V LED Lamp

AVOLO M

AVOLO M A 1 FLOOR 2F



AVOLO M A 2 FLOOR 2F




TECHNICAL DETAILS

Housing: Pressed formed steel

Diffuser: Opal glass

IP: 40 **IK:** 02

COLORS



LIGHTING SOURCES

Classic/E27/E26/230V LED Lamp

Lamp replacement without tools



fibreled.com