

shinka **Onelight**; luminous textile architecture



Shinka **Onelight** is a new way of using light where we introduce light boxes with textile fronts instead of using linear and specific light points.

This way, with only just one luminaire, we can achieve the necessary light without having to create different light points in order to avoid interfering with the architectural design of the space.

The vast range of sizes, shapes and colours, make it a luminaire which can be totally personalised.

shinka Onelight; luminous textile architecture



Versatile: suitable for surfaces, walls and hanging applications. It can also be used for recessing.



Adaptable: can be used for special geometrical shapes due to the characteristics of both profile and textile.



Customised: this luminaire can be used to promote both personalised publicity messages and also decorative lighting statements.



Dynamic: inside we can include digital, RG or tunable white (HCL) lighting.



F10 Profile

Profile for fixing on the perimetre on internal cavities, furniture, etc. This way the textile can be tightened on the front. It is available in 600cm or 300cm lengths and manufactured in silver anodised, textured lacquered white, and textured black. It can be tightened with a silicone strip or a small DUOflex spatula.




F15 Profile

Profile designed for frames with textile fronts but without lighting. This profile is available in lengths of 300cm and in silver anodised. It can be tightened with a silicone strip. Accesories are available such as brackets and hangers.



F35 Profile

Profile designed for manufacturing luminaires, with a depth of only 35mm. It is designed to be illuminated with optic methacrylate such as V-cutting, Dotting or similar, using our Granada ecoled on the edge of the methacrylate (LGP). This profile is available in lengths of 600cm and 300cm, in silver anodised, or textured (black or white). It can be tightened with a silicone strip or a small DUOflex spatula. Accesories are available such as brackets and hangers.



F40 Profile

Profile designed for making cubes, luminous counters or for covering columns and supports with fabric. This profile is available in lengths of 300cm in raw aluminium. It can be tightened with a silicone strip. Accesories are available such as brackets and reinforcements for internal structures.




F45 Profile

Profile designed for manufacturing luminaires, with a depth of only 45mm. It is designed with backlighting using ecoled Sideview (rigid led strips with 170° lens). This profile is available in lengths of 600cm and 300cm lengths, in silver anodised, or textured (black or white). It can be tightened with a silicone strip or a small DUOflex spatula. Accesories are available such as brackets and hangers.



F50 Profile

Profile for manufacturing luminaires with a depth of 50mm with lighting on 2 sides, and which is illuminated with boxed perimetral rigid strips. This profile is available in lengths of 300cm and 600cm, and in silver anodised. It can be tightened with a silicone strip. Accesories are available such as brackets and reinforcements for internal structure.



FT80 Profile

It is designed to be illuminated with boxed perimetral rigid strips and supplied in lengths of 300cm. This profile is available in silver anodised. It can be tightened with a silicone strip. Accesories are available such as brackets and reinforcements for internal structure.



F80 Profile

Profile designed for manufacturing luminaires, with a depth of only 80mm, with lighting on one side or two sides. It is illuminated with boxed perimetral rigid strips (2 sides), or with ecoled sideview at he back (1 side). This profile is available in lengths of 600cm and 300cm lengths, in silver anodised, textured lacquered white or textured black. It can be tightened with a silicone strip or a small DUOflex spatula. Accesories are available such as brackets and reinforcements for internal structure.



F110 Profile

Profile for manufacturing luminaires with a depth of 110mm with lighting on 2 sides, and which is illuminated with boxed perimetral rigid strips. This profile is available in lengths of 300cm and 600cm, and in silver anodised, textured lacquered white or textured black. It can be tightened with a silicone strip or a small DUOflex spatula. Accesories are available such as brackets and reinforcements for internal structure.



F150 Profile

Profile designed for manufacturing luminaires, with a depth of only 150mm, with lighting on two sides. It is illuminated with boxed perimetral rigid strips. This profile is available in lengths of 600cm and 300cm lengths, in silver anodised, textured lacquered white or textured black. It can be tightened with a silicone strip or a small DUOflex spatula. Accesories are available such as brackets and reinforcements for internal structure.