

INTERIOR WALL SURFACE WALL RECESSED

SYLVA S



Interior Wall Surface, Recessed 

- SYLVA S is a reading light available with concealed lighting and a spotlight to illuminate a specific area.
- It can be custom made with one switch.
- It can be custom made with USB socket (no no concealed lighting).



Model*	Watt	Colour Temperature**	Voltage	Colour	Dimensions	IP 
SYLVA S	10W	3000K	230VAC	Black White	130x130mm	IP20

*Available with one switch upon request.
 **Available in different CCT upon request.
 ***Available with USB upon request.



- SYLVA L & R are reading lights available with concealed lighting, a spotlight and USB socket.
- It can be custom made with one switch.

USB 



SYLVA L



SYLVA R

Model*	Watt	Colour Temperature**	Voltage	Colour	Dimensions	IP
SYLVA L	10W	3000K	230VAC	Black White	130x130mm	IP20
SYLVA R	10W	3000K	230VAC	Black White	130x130mm	IP20


*Available with one switch upon request.

**Available in different CCT upon request.




Black

White



SYLVA L




SYLVA R

- NAMOS reading light with gooseneck.



CREE 
LEDs


Code	Watt	Colour Temperature	Colour	Dimensions		Voltage	IP 	
LWI.001	3W	3000K	White	Head: 30x60.5mm Base: 98x68x32mm	20°	230VAC	IP20	Dimmable




- Interior decorative wall lighting.
- Dimmable 230VAC.
- Ideal to create unique wall custom luminaires.



Model	Colour Temperature	Luminaire LED Lumen	Watt	CRI	Voltage	Colour	
TETRIS 4W	3000K	180lm	4W	80	230VAC	White	Dimmable




Model	Colour Temperature	Luminaire LED Lumen	Watt	CRI	Voltage	Colour	
TETRIS DOUBLE 8W	3000K	350lm	8W	80	230VAC	White	Dimmable



CUBE PL / FAROS-P


Interior Wall Surface, Recessed 



Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PWM.001	CUBE PL	G9	40W	220-240VAC	Not included	0.68Kg	IP20	
PWM.011	FAROS-P	E14	40W	220-240VAC	Not included	2.41Kg	IP20	



PWM.001
CUBE PL

Light Emission



PWM.011
FAROS-P

Light Emission






Code	Model	Lamp Holder	Maximum Consumption	Voltage				
PWM.005	PRICL	E14	40W	220-240VAC	Not included	0.82Kg	IP20	
PWM.006	BOWL	E14	40W	220-240VAC	Not included	0.76Kg	IP20	
PWM.007	CURB	2xE14	2x40W	220-240VAC	Not included	1.32Kg	IP20	


PWM.005
PRICL

Light Emission




PWM.006
BOWL

Light Emission



PWM.007
CURB

Light Emission






Code	Model	Lamp Holder	Maximum Consumption	Voltage				
PWM.002	WAVE	R7S	100W	220-240VAC	Not included	2.08Kg	IP20	
PWM.003	VISION	E14	40W	220-240VAC	Not included	0.76Kg	IP20	
PWM.004	JUGER	E14	40W	220-240VAC	Not included	1.1Kg	IP20	

PWM.002

WAVE


Light Emission



PWM.003

VISION



Light Emission



PWM.004

JUGER

Light Emission






Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PWM.010	CAFÉ	G9	40W	220-240VAC	Not included	1.10Kg	IP20	
PWM.014	MENSA	E14	40W	220-240VAC	Not included	1.50Kg	IP20	

PWM.010
CAFÉ
Light Emission






PWM.014
MENSA
Light Emission






Code	Model	Lamp Holder	Maximum Consumption	Voltage			IP 	
PWM.012	LETO	G9	40W	220-240VAC	Not included	0.75Kg	IP20	
PWM.013	JUNO	G9	40W	220-240VAC	Not included	0.5Kg	IP20	









Code	Model	LED Colour*	Watt	Constant Current	LED		IP 	
PWM.015	EUROPA	WARM WHITE	1x3W	700mA	Included	1.05Kg	IP20	
PWM.016	IDA	WARM WHITE	2x2W	500mA	Included	0.60Kg	IP20	

* Available in Cool White & Blue upon request.

PWM.015
EUROPA
Light Emission



PWM.016
IDA
Light Emission






Code	Model	Lamp Holder	Maximum Consumption	Voltage					
PWR.009	EMILOS	G9	40W	220-240VAC	Not included	3.6Kg	402x402mm	IP20	
PWR.008	IKTINOS	E14	40W	220-240VAC	Not included	3.9Kg	312x252mm	IP20	

*Suitable for plasterboard 9mm-15mm

PWR.009

EMILOS


Light Emission



PWR.008

IKTINOS

Light Emission



URGO PL / URGO SLEEK

Interior Wall Surface, Recessed 




Code	Model	LED Source	Watt	Constant Current	LED			IP 	
PWR.001	URGO PL	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.64Kg	145x172mm	IP20	
PWR.002	URGO SLEEK	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.64Kg	145x172mm	IP20	

*Suitable for plasterboard 9mm-15mm

PWR.001
URGO PL


Light Emission



PWR.002

URGO SLEEK

Light Emission



LED OPTIONS



LED.302
1W/350mA / CW
LED.303
1W/350mA / WW
LED.304
1W/350mA / BLUE




Not included




Code	Model	LED Source	Watt	Constant Current	LED				
PWR.004	CIRCLE PL	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.08Kg	162x182mm	IP20	
PWR.003	CIRCLE LPL	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.30Kg	202x202mm	IP20	

*Suitable for plasterboard 9mm-15mm

PWR.004
CIRCLE PL
Light Emission




PWR.003
CIRCLE LPL
Light Emission



LED OPTIONS

- LED.302**
1W / 350mA / CW
- LED.303**
1W / 350mA / WW
- LED.304**
1W / 350mA / BLUE






Code	Model	LED Source	Watt	Constant Current	LED			IP 
PWR.012	CERES L	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.62Kg	182x122mm	IP20
PWR.013	CERES	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.62Kg	102x102mm	IP20




*Suitable for plasterboard 9mm-15mm

PWR.012
CERES L
Light Emission




PWR.013
CERES
Light Emission



LED OPTIONS

- LED.302**
1W /350mA / CW
- LED.303**
1W /350mA / WW
- LED.304**
1W /350mA / BLUE






Code	Model	LED Source	Watt	Constant Current	LED			IP 	
PWR.005	NECK	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.00Kg	145x232mm	IP20	
PWR.006	SHAPE	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	0.88Kg	110x247mm	IP20	
PWR.007	TEAR	COOL WHITE WARM WHITE BLUE	1x1W	350mA	Not included	1.18Kg	103x322mm	IP20	

*Suitable for plasterboard 9mm-15mm




PWR.005

NECK
Light Emission




PWR.006

SHAPE
Light Emission



PWR.007

TEAR
Light Emission





Code	Model	LED Colour	Watt	Constant Current	LED			IP 	
PWR.010	MYRON	WARM WHITE	12W	350mA	Included	2.53Kg	302x182mm	IP20	

*Suitable for plasterboard 9-15mm


Code	Model	Lamp Holder	Watt	Voltage				IP 	
PWR.011	BEAM	Gx5.3 / MR16	35W	12VAC	Not included	1.53Kg	352x102mm	IP20	

*Suitable for plasterboard 9-15mm

PWR.010

MYRON


Light Emission



PWR.011

BEAM

Light Emission







CREE 
LEDs


Code	No.LED	Colour*	Material	Cumnet		Colour of fitting**	Weight	IP 
ALW.038	1x1W	WARM WHITE	Aluminium	350mA	90°	White	0.06Kg	IP20

* Also available in COOL WHITE upon request

**Available in Black colour of fitting upon request



ACC.189
Wall Box



LED DOT BEAM, LED DOT DOME/FROST

Interior Wall Surface, Recessed 




CREE 
LEDs

LED DOT BEAM

Code	No.LED	Colour	Colour Temperature*	Power Consumption	Operating Voltage	DIM	
24°							
DOT.001	1	WARM WHITE	2700K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	24°
DOT.002	1	WARM WHITE	3000K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	24°
DOT.003	1	NEUTRAL WHITE	4000K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	24°
DOT.004	1	AMBER	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	24°
DOT.005	1	BLUE	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	24°
DOT.006	1	GREEN	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	24°
DOT.007	1	RED	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	24°
40°							
DOT.008	1	WARM WHITE	2700K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	40°
DOT.009	1	WARM WHITE	3000K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	40°
DOT.010	1	NEUTRAL WHITE	4000K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	40°
DOT.011	1	AMBER	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	40°
DOT.012	1	BLUE	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	40°
DOT.013	1	GREEN	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	40°
DOT.014	1	RED	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	40°

*Available in CCT 5000K upon request.
**Available in 16° upon request.

LED DOT BEAM




LED DOT DOME/FROST

Code	No.LED	Colour	Colour Temperature*	Power Consumption	Operating Voltage	DIM	
DOT.015	1	WARM WHITE	2700K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	120°
DOT.016	1	WARM WHITE	3000K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	120°
DOT.017	1	NEUTRAL WHITE	4000K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	120°
DOT.018	1	AMBER	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	120°
DOT.019	1	BLUE	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	120°
DOT.020	1	GREEN	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	120°
DOT.021	1	RED	-	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2,5KHz	120°

*Available in CCT 5000K upon request.

LED DOT DOME/FROST



ACC.086
Wall mounting ring for DOT

Wall Mounted



DOT BEAM
with recessed standard
wall box



DOT DOME/FROST
with recessed standard
wall box