

INTERIOR

WALL SURFACE
WALL RECESSED

SYLVA S

Interior Wall Surface, Recessed 

- SYLVA S is a reading light available with concealed lighting and a spotlight to illuminate a specific area.
- It can be custom made with one switch.
- It can be custom made with USB socket (no concealed lighting).



Model*	Watt	CCT**	Voltage	Colour	Dimensions	IP Rate
SYLVA S	10W	3000K	230VAC	Black White	130x130mm	IP20

IP20

*Available with one switch upon request.

**Available in different CCT upon request.



***Available with USB upon request.



Black



White





Interior Wall Surface, Recessed

SYLVA L / SYLVA R

- SYLVA L & R are reading lights available with concealed lighting, a spotlight and USB socket.
- It can be custom made with one switch.

USB



SYLVA L



SYLVA R

Model*	Watt	CCT**	Voltage	Colour	Dimensions	IP Rate
SYLVA L	10W	3000K	230VAC	Black White	130x130mm	IP20
SYLVA R	10W	3000K	230VAC	Black White	130x130mm	IP20


IP20

*Available with one switch upon request.
**Available in different CCT upon request.




Black

White



SYLVA L



SYLVA R


- NAMOS reading light with gooseneck, available in white colour.



CREE LEDs

IP20

Code	Watt	CCT	Colour	Dimensions	Beam Angle	Voltage	IP Rate	
LWI.001	3W	3000K	White	Head: 30x60.5mm Base: 98x68x32mm	20°	230VAC	IP20	Dimmable




- TETRIS is an interior decorative wall luminaire.
- Dimmable 230VAC.
- Ideal to create interesting patterns on walls.




Model	CCT	Luminaire LED lumen	Watt	CRI	Voltage	Colour	
TETRIS 4W	3000K	180lm	4W	80	230VAC	White	Dimmable
TETRIS DOUBLE 8W	3000K	350lm	8W	80	230VAC	White	Dimmable

TETRIS 4W



TETRIS DOUBLE 8W






Code	Model	Lamp Holder	Maximum Consumption	Voltage	Lamp	Weight	IP Rate
PWM.001	CUBE PL	G9	40W	220-240VAC	Not included	0.68Kg	IP20
PWM.011	FAROS-P	E14	40W	220-240VAC	Not included	2.41Kg	IP20



IP20

Plaster 

PWM.001
CUBE PL



PWM.011
FAROS-P







Code	Model	Lamp Holder	Maximum Consumption	Voltage	Lamp	Weight	IP Rate
PWM.005	PRICL	E14	40W	220-240VAC	Not included	0.82Kg	IP20
PWM.006	BOWL	E14	40W	220-240VAC	Not included	0.76Kg	IP20
PWM.007	CURB	2xE14	2x40W	220-240VAC	Not included	1.32Kg	IP20





PWM.005
PRICL



PWM.006
BOWL






PWM.007
CURB





Code	Model	Lamp Holder	Maximum Consumption	Voltage	Lamp	Weight	IP Rate
PWM.002	WAVE	R7S	100W	220-240VAC	Not included	2.08Kg	IP20
PWM.004	JUGER	E14	40W	220-240VAC	Not included	1.1Kg	IP20







Code	Model	Lamp Holder	Maximum Consumption	Voltage	Lamp	Weight	IP Rate
PWM.010	CAFÉ	G9	40W	220-240VAC	Not included	1.10Kg	IP20
PWM.014	MENSA	E14	40W	220-240VAC	Not included	1.50Kg	IP20



PWM.010
CAFÉ



PWM.014
MENSA








Code	Model	Lamp Holder	Maximum Consumption	Voltage	Lamp	Weight	IP Rate
PWM.012	LETO	G9	40W	220-240VAC	Not Included	0.75Kg	IP20
PWM.013	JUNO	G9	40W	220-240VAC	Not Included	0.50Kg	IP20




PWM.012
LETO



PWM.013
JUNO





Embassy Of The United Arab Emirates, Athens, Greece
Salon Magnis Architects

ELECTRON SA, PROFESSIONAL LIGHTING SYSTEMS - 68 Antiochias St, N.Philadelphia, 14341 Athens, Greece, info@electron.gr, www.electron.gr




Code	Model	CCT	Watt	Constant Current	LED	Weight	IP Rate
PWM.015	EUROPA	3000K	1x3W	700mA	Included	1.05Kg	IP20
PWM.016	IDA	3000K	2x2W	500mA	Included	0.60Kg	IP20





* Available in 5000K & Blue upon request.

PWM.015
EUROPA



PWM.016
IDA








Code	Model	Lamp Holder	Maximum Consumption	Voltage	Lamp	Weight		IP Rate
PWR.009	EMILOS	G9	40W	220-240VAC	Not included	3.6Kg	402x402mm	IP20
PWR.008	IKTINOS	E14	40W	220-240VAC	Not included	3.9Kg	312x252mm	IP20



*Suitable for plasterboard 9mm-15mm





Code	Model	CCT / Colour	Watt	Constant Current	LED	Lamp	Weight	IP Rate
PWR.001	URGO PL	5000K 3000K Blue	1x1W	350mA	Not included	0.64Kg	145x172mm	IP20
PWR.002	URGO SLEEK	5000K 3000K Blue	1x1W	350mA	Not included	0.64Kg	145x172mm	IP20


*Suitable for plasterboard 9mm-15mm




PWR.001
URGO PL



PWR.002
URGO SLEEK





Code	Model	CCT / Colour	Watt	Constant Current	LED	Weight		IP Rate
PWR.004	CIRCLE PL	5000K 3000K Blue	1x1W	350mA	Not included	1.08Kg	162x182mm	IP20
PWR.003	CIRCLE LPL	5000K 3000K Blue	1x1W	350mA	Not included	1.30Kg	202x202mm	IP20




*Suitable for plasterboard 9mm-15mm

Not included  **LED Options**
LED.302
 1W / 350mA / 5000K
LED.303
 1W / 350mA / 3000K
LED.304
 1W / 350mA / BLUE

PWR.004
CIRCLE PL



PWR.003
CIRCLE LPL





Code	Model	CCT / Colour	Watt	Constant Current	LED	Weight		IP Rate
PWR.012	CERES L	5000K 3000K Blue	1x1W	350mA	Not included	0,62Kg	182x122mm	IP20
PWR.013	CERES	5000K 3000K Blue	1x1W	350mA	Not included	0,62Kg	102x102mm	IP20



*Suitable for plasterboard 9mm-15mm





LED Options
LED.302
 1W / 350mA / 5000K
LED.303
 1W / 350mA / 3000K
LED.304
 1W / 350mA / BLUE

PWR.012
CERES L



PWR.013
CERES








Code	Model	CCT / Colour	Watt	Constant Current	LED	Weight		IP Rate
PWR.005	NECK	5000K 3000K Blue	1x1W	350mA	Not included	1.00Kg	145x232mm	IP20
PWR.006	SHAPE	5000K 3000K Blue	1x1W	350mA	Not included	0.88Kg	110x247mm	IP20
PWR.007	TEAR	5000K 3000K Blue	1x1W	350mA	Not included	1.18Kg	103x322mm	IP20

*Suitable for plasterboard 9mm-15mm



LED Options
LED.302
 1W / 350mA / 5000K
LED.303
 1W / 350mA / 3000K
LED.304
 1W / 350mA / BLUE





Code	Model	CCT	Watt	Constant Current	LED	Weight		IP Rate
PWR.010	MYRON	3000K	12W	350mA	Included	2.53Kg	302x182mm	IP20

*Suitable for plasterboard 9-15mm


Code	Model	Lamp Holder	Watt	Voltage	LED	Weight		IP Rate
PWR.011	BEAM	Gx5.3 / MR16	35W	12VAC	Not included	1.53Kg	352x102mm	IP20

*Suitable for plasterboard 9-15mm

PWR.010
MYRON



PWR.011
BEAM










CREE
LEDs

IP20

Code	No.LED	CCT*	Material	Current	Beam Angle	Colour of fitting**	Weight	IP Rate
ALW.038	1x1W	3000K	Aluminium	350mA	90°	White	0.06Kg	IP20

* Also available in 5000K upon request.

**Available in Black colour of fitting upon request.



LED DOT BEAM, LED DOT DOME/FROST

Interior Wall Surface, Recessed 



CREE LEDs


LED DOT BEAM

Code	No.LED	CCT* / Colour	Power Consumption	Operating Voltage	DIM	Beam Angle**
24°						
DOT.001	1	2700K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2.5KHz	24°
DOT.002		3000K				
DOT.003		4000K				
DOT.004		AMBER				
DOT.005		BLUE				
DOT.006		GREEN				
DOT.007		RED				
40°						
DOT.008	1	2700K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2.5KHz	40°
DOT.009		3000K				
DOT.010		4000K				
DOT.011		AMBER				
DOT.012		BLUE				
DOT.013		GREEN				
DOT.014		RED				

*Available in CCT 5000K upon request.

**Available in 16° upon request.

LED DOT BEAM




LED DOT DOME/FROST

Code	No.LED	CCT* / Colour	Power Consumption	Operating Voltage	DIM	Beam Angle
DOT.015	1	2700K	3W	9~32VDC	PWM 9 - 32V / 100Hz - 2.5KHz	120°
DOT.016		3000K				
DOT.017		4000K				
DOT.018		AMBER				
DOT.019		BLUE				
DOT.020		GREEN				
DOT.021		RED				

*Available in CCT 5000K upon request.

LED DOT DOME/FROST



ACC.086
Wall mounting ring for DOT

Wall Mounted



DOT BEAM
with recessed standard
wall box



DOT DOME/FROST
with recessed standard
wall box