


**N** NORLYS



# Born from a passion for light




NORLYS draws inspiration from its **Scandinavian** roots, embodying resilience and warmth even during the long polar nights, the raw power of nature, and the harshest weather conditions.



Over **15 000+ m2** of cutting-edge production space, equipped with state-of-the-art technology and operated by a highly skilled team of experts.



We are a proud European manufacturer, crafting 100% of our luminaires in Poland.



# NORLYS in numbers

**30+**

Years of market  
expertise

**250+**

Passionate experts  
behind our success

**25+**

Export markets  
worldwide

**5mln+**

Luminaires sold  
worldwide




# New colour palette!

Explore our new colour palette!

We are now able to prepare most  
of our luminaires in new colours!

- **Copper Brown (CB)** RAL8004
- **Cement Grey (CG)** RAL7033
- **Coren Steel (CS)** approx. RAL8011
- **Beige Grey (GB)** RAL7006

For more information  
contact your supplier  
or visit our website  
**[norlys.com](http://norlys.com)**



# Families

|          |       |              |
|----------|-------|--------------|
| <b>A</b> | p.21  | Alta         |
|          | p.10  | Arendal      |
|          | p.9   | Arendal Mini |
|          | p.126 | Arvika       |
|          | p.13  | Asker        |
| <b>B</b> | p.18  | Astrid       |
|          | p.129 | Basel        |
|          | p.102 | Bergen       |
|          | p.105 | Berlin       |
|          | p.129 | Bern         |
|          | p.130 | Boden        |
|          | p.146 | Bologna      |
|          | p.22  | Borg         |
|          | p.85  | Bornholm     |
|          | p.105 | Bremen       |
| <b>C</b> | p.141 | Chelsea      |
|          | p.150 | Como         |





|          |       |               |
|----------|-------|---------------|
| <b>E</b> | p.26  | Egersund      |
|          | p.25  | Egersund Mini |
|          | p.29  | Egersund Park |
| <b>F</b> | p.153 | Florence      |
|          | p.106 | Freja         |
| <b>G</b> | p.30  | Frigga        |
|          | p.33  | Geneva        |
|          | p.154 | Genoa         |
|          | p.154 | Glasgow       |
|          | p.34  | Grimstad      |
|          | p.38  | Halden        |
|          | p.37  | Halmstad      |
|          | p.45  | Hammerfest    |
|          | p.41  | Hellvik       |
|          | p.42  | Hitra         |
| <b>K</b> | p.133 | Karlstad      |
|          | p.46  | Kisa          |
|          | p.49  | Koster        |



|          |       |             |
|----------|-------|-------------|
| <b>L</b> | p.102 | Larvik      |
|          | p.154 | Latina      |
|          | p.53  | Lillehammer |
|          | p.54  | Lillesand   |
|          | p.109 | Lofoten     |
|          | p.157 | London      |
|          | p.134 | Lund        |
|          | p.57  | Lysfjord    |
|          | p.137 | Mandal      |
|          | p.166 | Milano      |
| <b>M</b> | p.162 | Modena      |
|          | p.58  | Molde       |
|          | p.57  | Mora        |
|          | p.61  | Moss        |
|          | p.70  | Namsos      |
|          | p.66  | Narvik      |
|          | p.78  | Nice        |
|          | p.65  | Nidaros     |
|          | p.69  | Nora        |
|          | p.65  | Nordland    |
| <b>O</b> | p.81  | Oppland     |
|          | p.117 | Oslo        |



|          |       |                   |
|----------|-------|-------------------|
| <b>P</b> | p.138 | Paris             |
|          | p.168 | Poles             |
|          | p.126 | Power Distributor |
| <b>R</b> | p.82  | Rena              |
|          | p.166 | Rimini            |
| <b>S</b> | p.85  | Rondane           |
|          | p.90  | Sande             |
|          | p.86  | Sandvik           |
|          | p.137 | Ski               |
|          | p.89  | Skara             |
|          | p.89  | Sol               |
|          | p.93  | Stavanger         |
|          | p.121 | Stockholm         |
|          | p.101 | Trysil            |
|          | p.138 | Vansbro           |
| <b>T</b> | p.38  | Vasa              |
|          | p.154 | Venice            |
|          | p.98  | Varberg           |
|          | p.97  | Visby             |
|          | p.94  | Voss              |





Wall

# Arendal Mini




Colour temperature:

2700K 3000K 4000K



Colour:

**BL** Black **GR** Graphite



Colour temperature:

2700K 3000K 4000K



Colour:

**BL** Black **GR** Graphite  
**GA** Galvanized

Bollard

All indexes and technical data can be found on our website: [norlys.com](http://norlys.com), or by scanning the QR code.

Bollard



# Arendal



Colour temperature:  
2700K 3000K 4000K

Colour:  
 BL Black  GR Graphite  
 GA Galvanized





Wall

# Asker



|     |          |      |      |      |
|-----|----------|------|------|------|
| CE  | 220-240V | IP65 | IP44 | IK08 |
| LED | E27      | DALI | DIM  |      |
| Al  | Fe       | PC   |      |      |

Colour temperature:  
2700K 3000K 4000K

Colour:  AL Aluminium  GA Galvanized  
 BL Black  GR Graphite  WH White



# Asker Big

|     |          |      |      |    |
|-----|----------|------|------|----|
| CE  | 220-240V | IP65 | IK08 |    |
| LED | E27      | DALI | DIM  | PC |
| Al  | Fe       |      |      |    |

Colour temperature:  
2700K 3000K 4000K


Colour:  AL Aluminium  GA Galvanized  
 BL Black  GR Graphite  WH White



Wall

Bollard


# Asker



**Colour temperature:**  
 2700K 3000K 4000K

**Colour:**  
 BL Black  GR Graphite  
 AL Aluminium





Pole




# Asker Head

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

**Colour temperature:**  
2700K 3000K 4000K

**Colour:**  
 BL Black
  AL Aluminium
  GR Graphite



# Asker Pole



|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |

**Colour temperature:**  
2700K 3000K 4000K

**Colour:**  
 BL Black
  AL Aluminium
  GR Graphite

Pole

Bollard

# Astrid



|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |

**Colour temperature:**  
 2700K 3000K 4000K



**Colour:**

- BL Black
- GR Graphite
- AL Aluminium
- WH White





Photo: Jan Simonsson  
Strömsad Höjdfoto



Bollard

# Alta

**Colour temperature:**  
 2700K 3000K 4000K

**Colour:**  
 BL Black  
 GA Galvanized



**Colour temperature:**  
 2700K 3000K 4000K

**Colour:**
 BL Black  
 GA Galvanized
 **Wood:**
 Impregnated  
 Painted

Bollard

Pole



# Borg Pole



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite  
 AL Aluminium



# Borg Bollard



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite  
 AL Aluminium














Bollard

# Egersund Mini



Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium




Bollard

Bollard



# Egersund



Colour temperature:  
 2700K 3000K 4000K

Colour:  
 Graphite  
 Aluminium





Bollard

# Egersund Park Bollard



Colour temperature:  
2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium



# Egersund Park Pole



Colour temperature:  
2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium





Bollard

# Frigga



Colour temperature:  
2700K 3000K 4000K  
○ ○ ○



Colour:  
GR Graphite WH White  
AL Aluminium BL Black





Wall

# Geneva



CE   
  220-240V   
  IP65   
  IK08   
  DIM  
 LED   
  E27   
  AL   
  PC

Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite     WH White
- AL Aluminium




Wall

Recessed / Spot



# Grimstad



Colour temperature:  
 2700K 3000K 4000K

Colour:  
 GR Graphite  
 AL Aluminium






Bollard

# Halmstad



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite     GA Galvanized  
 BL Black



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite     Impregnated  
 BL Black             Painted  
 GA Galvanized



Bollard

Wall



# Halden



Colour temperature:  
2700K 3000K 4000K



Colour:

- GR Graphite
- WH White
- AL Aluminium



# Vasa




Colour temperature:  
2700K 3000K 4000K



Colour:

- GR Graphite
- WH White
- AL Aluminium
- BL Black





Bollard

# Hellvik



Colour temperature:

2700K 3000K

4000K



Colour:

**GR** Graphite

**AL** Aluminium

**BL** Black


Bollard

All indexes and technical data can be found on our website: [norlys.com](http://norlys.com), or by scanning the QR code.




Wall

# Hitra



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite  WH White  
 AL Aluminium



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite  WH White  
 AL Aluminium  BL Black





Pole

# Hammerfest



|     |          |      |    |     |      |
|-----|----------|------|----|-----|------|
| CE  | 220-240V | IP65 | ⏚  | DIM | DALI |
| LED | Al       | PMMA | 6m | D4I | 60   |

Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium



Pole



Bollard

# Kisa



Colour temperature:

2700K 3000K 4000K



Colour:

GR Graphite

AL Aluminium





Wall

# Koster



|     |          |      |      |                  |
|-----|----------|------|------|------------------|
| CE  | 220-240V | IP45 | IP54 | Grounding symbol |
| LED | Al       | DIM  | DALI | PC               |

Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium



Wall

Pole

# Koster




|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |


**Colour temperature:**  
 2700K 3000K 4000K



- Colour:**
- GR Graphite
  - AL Aluminium



Pole



Wall

# Lillehammer



Colour temperature:  
2700K 3000K 4000K



Colour:

- GR Graphite
- WH White
- AL Aluminium
- BL Black

Wall



Bollard

# Lillesand

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |

Colour temperature:

2700K 3000K 4000K



- Colour:
- GR Graphite
  - AL Aluminium





Pole

# Mora



Colour temperature:

2700K 3000K 4000K




Colour:

- GR Graphite
- AL Aluminium
- BL Black



# Lysfjord



Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- WH White
- AL Aluminium
- BL Black

Wall



Wall

# Molde



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite  
 AL Aluminium



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite  
 AL Aluminium





Recessed / Spot

# Moss




Colour temperature:  
2700K 3000K 4000K



Colour:

GR Graphite  BL Black



Colour temperature:  
2700K 3000K 4000K



Colour:

GR Graphite  BL Black



Recessed / Spot


Recessed / Spot

# Moss



Colour temperature:  
2700K 3000K 4000K  
○ ○ ○

Colour:  
GR Graphite BL Black



Colour temperature:  
2700K 3000K 4000K  
○ ○ ○

Colour:  
GR Graphite BL Black  
ST Stainless Steel





Wall

# Nordland



Colour temperature:

2700K 3000K 4000K




Colour:

- GR Graphite
- WH White
- AL Aluminium



# Nidaros



Colour temperature:

2700K 3000K 4000K



Colour:


- GR Graphite
- WH White
- AL Aluminium
- BL Black

Ceiling



Bollard

# Narvik



Colour temperature:  
2700K 3000K 4000K  
○ ○ ○



Colour:  
GR Graphite AL Aluminium





Wsl

# Nora




Colour temperature:

2700K 3000K 4000K



Colour:


- GR Graphite
- WH White
- AL Aluminium
- BL Black




Wall

Wall

# Namsos



Colour temperature:  
 2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium




Wall



Bollard

# Namsos



Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium

Bollard

Recessed / Spot




# Namsos





Colour temperature:  
2700K 3000K 4000K


Colour:  
 GR Graphite  
 AL Aluminium



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GA Galvanized





Recessed / Spot

# Namsos Mini



Colour temperature:  
2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium

Recessed / Spot

Pole

# Nice



|      |          |      |      |     |
|------|----------|------|------|-----|
| CE   | 220-240V | IP65 | IK07 | LED |
| DALI | Al       | GL   | 4,5m | 60  |

Colour temperature:


2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium





Bollard

# Oppland



Colour temperature:

2700K 3000K 4000K




Colour:

GR Graphite

AL Aluminium


Recessed / Spot

# Rena




Colour temperature:  
2700K 3000K 4000K

Colour:  
 ST Stainless Steel



# Rena Cover



Colour temperature:  
2700K 3000K 4000K

Colour:  
 GR Graphite  
 BL Black





Wall/Ceiling

# Rondane



**Colour temperature:**  
2700K 3000K 4000K

**Colour:**  
 GR Graphite
  AL Aluminium



# Bornholm



**Colour temperature:**  
2700K 3000K 4000K


**Colour:**  
 GR Graphite
  AL Aluminium
  WH White

Wall/Ceiling

All indexes and technical data can be found on our website: [norlys.com](http://norlys.com), or by scanning the QR code. 85

Wall

# Sandvik



Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- WH White
- AL Aluminium
- BL Black



Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- WH White
- AL Aluminium
- BL Black





Bollard

# Skara




Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium
- BL Black



# Sol



Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- WH White
- AL Aluminium
- BL Black




Ceiling


Recessed / Spot



# Sande



Colour temperature:  
 2700K 3000K 4000K



Colour:

- BL Black
- GR Graphite






Bollard

# Stavanger



Colour temperature:



Colour:


- GR Graphite
- AL Aluminium

Bollard



Wall

# Voss



Colour temperature:  
2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium



Wall



Pole

# Visby



|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |

Colour temperature:

2700K 3000K 4000K



Colour:

- GR Graphite
- AL Aluminium



Pole

Recessed / Spot



# Varberg



Colour temperature:  
 2700K 3000K 4000K

- Colour:
- BL Black
  - GR Graphite
  - AL Aluminium





Pole

# Trysil



Colour temperature:



2700K 3000K 4000K



Colour:


BL Black  AL Aluminium

GR Graphite



Colour temperature:


2700K 3000K 4000K



Bollard

Wall/Ceiling

# Bergen




Colour:

- BL Black
- GA Galvanized



# Larvik



Colour:

- BL Black
- GA Galvanized




Wall



Wall

# Berlin



Colour temperature:

2700K 3000K 4000K



Colour:

**BL** Black

**WH** White



# Bremen



Colour temperature:

2700K 3000K 4000K



Colour:

**BL** Black

**GA** Galvanized

Wall




Wall

# Freja



Colour:

● BL Black



Wall



Wall

# Lofoten



Colour:


● BL Black



Wall

Wall

# Lofoten



Colour:

● BL Black



Wall



Ceiling

# Lofoten



Colour:

**BL** Black



Colour:


**BL** Black



Bollard

Pole

# Lofoten




Colour:

**BL** Black



Colour:


**BL** Black






Ceiling

# Oslo



Colour:

- BL Black
- GA Galvanized



Colour:

- BL Black
- GA Galvanized




Wall



Pole

# Oslo



Colour:

**BL** Black

**GA** Galvanized





Wall


# Stockholm



|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |

Colour temperature:

2700K 3000K 4000K



Colour:

BL Black

GA Galvanized



# Stockholm Big & Stockholm

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |

Colour:

BL Black

GA Galvanized




Wall




Bollard

# Stockholm



Colour temperature:  
2700K 3000K 4000K

Colour:  
BL Black  
GA Galvanized



Colour:  
BL Black  
GA Galvanized

Wood:  
Impregnated  
Painted




Bollard



Pole

# Stockholm Big



Colour:

- BL Black
- GA Galvanized



# Stockholm & Stockholm Big



Colour:

- BL Black
- GA Galvanized




Bollard



Bollard

# Arvika



Colour temperature:  
2700K 3000K 4000K  
○ ○ ○

Colour:  
● BL Black  
● GA Galvanized



# Power Distributor



Colour:  
● GR Graphite ● WH White  
● AL Aluminium ● BL Black



Bollard



Wall

# Basel



|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |

**Colour temperature:**  
2700K 3000K 4000K

**Colour:**

BL Black     AL Aluminium  
 GA Galvanized     ST Stainless Steel



# Bern

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |

**Colour temperature:**  
2700K 3000K 4000K

**Colour:**

BL Black     AL Aluminium  
 GA Galvanized     ST Stainless Steel

Wall



Wall

# Boden

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |

**Colour temperature:**  
 2700K 3000K 4000K



**Colour:**

- BL Black
- GA Galvanized




Wall





Pole

# Karlstad



Colour:

- BL Black
- GA Galvanized



Colour:

- BL Black
- GA Galvanized
- WH White

Colour:

- BL Black
- GA Galvanized
- CO Copper
- WH White

Wall/Ceiling




Pole

# Lund



Colour:

- BL Black
- GA Galvanized



Colour:

- BL Black
- GA Galvanized



Wall



Wall

# Mandal




**Colour temperature:**  
2700K 3000K 4000K

**Colour:**

- BL Black
- GA Galvanized



# Ski



**Colour temperature:**  
2700K 3000K 4000K

**Colour:**

- BL Black
- GA Galvanized

Wall

Wall

# Paris & Paris Big



Colour temperature:  
2700K 3000K 4000K




Colour:

- BL Black
- WH White
- GA Galvanized



# Vansbro



Colour:

- BL Black
- CO Copper
- GA Galvanized



Wall



Wall

# Chelsea



Colour:

 Copper




Colour:

 Copper

Wall

Wall/Ceiling

# Chelsea




Colour:

Copper



# Chelsea Big



Colour:

Copper







Pole

# Chelsea



Colour:

 Copper



# Chelsea Big & Chelsea



Colour:

 Copper




Bollard

All indexes and technical data can be found on our website: [norlys.com](http://norlys.com), or by scanning the QR code. 145

Wall

# Bologna



Colour:

- BL Black
- WH White



Colour:

- BL Black
- WH White





Bollard



Pole

# Bologna



Colour:


- BL Black
- WH White

Pole



Pole

# Como



Colour:


- BL Black
- WH White





Bollard/Pole

# Florence



Colour:

BL Black

WH White




Wall/Ceiling

All indexes and technical data can be found on our website: [norlys.com](http://norlys.com), or by scanning the QR code. 153

Pole/Bollard



# Genoa & Genoa Mini



Colour:

BL Black

WH White



# Glasgow Venice Latina





Wall

# London



**Colour temperature:**  
 2700K 3000K 4000K

**Colour:**

BL Black  WH White



# London Big

**Colour temperature:**  
 2700K 3000K 4000K

**Colour:**


BL Black  WH White



Wall

Wall

# London



Colour:

- BL** Black
- WH** White



# London & London Big



Colour temperature:

2700K 3000K 4000K



Colour:

- BL** Black
- WH** White

Ceiling





Wall

# London & London Big



CE 220-240V IP54 IP54/65

E27 LED AL PC

Colour temperature:  
2700K 3000K 4000K

Colour:  
 BL Black  WH White




Bollard

All indexes and technical data can be found on our website: [norlys.com](http://norlys.com), or by scanning the QR code. 161

Pole




# Modena & Modena Big



Colour:

● BL Black


○ WH White



Colour:

● BL Black


○ WH White





Wall

# Modena & Modena Big



Colour:

● BL Black

● WH White



Ceiling

All indexes and technical data can be found on our website: [norlys.com](http://norlys.com), or by scanning the QR code. 165

Pole



# Rimini & Milano



Colour:

- BL Black
- WH White



# Rimini



Wall/Bollard



Poles



- Art. 1277**

Colour:  AL  BL  GR
- Art. 1275**

Colour:  AL  BL  GR
- Art. 1273**

Colour:  AL  BL  GR
- Art. 3009**

Colour:  GA
- Art. 3011**

Colour:  BL  WH

Poles

Poles



- Art. 3004** **Art. 3005**

Art. 3005 includes concreting anchor 7663.

Colour:  AL  BL  GR
- Art. 2000**

Colour:  AL  BL  GR
- Art. 1255**

Colour:  AL  BL  GR
- Art. 1257**

Colour:  AL  BL  GR
- Art. 30101**

Colour:  BL  WH
- Art. 3013**

Art. 3013 includes terminal.

Colour:  BL  WH
- Art. 3010**

Colour:  BL  WH

Poles

# Icons

## Product Characteristics



Luminaire with socket for replaceable light source (GU10, E27, E14)



Luminaire with socket for interchangeable light sources.



LED luminaire  
Luminaire equipped with LED module



Voltage 220-240V

## Control



Motion sensor  
Luminaire equipped with a motion sensor.



DIM dimmable version  
Phase dimmable luminaire



DALI light control



Light control in the D4i system

## Security



CE Certificate  
CE - Manufacturers declaration that a labelled product complies with the requirements of the EU 'p.so-called ,New Approach' directive



## Protection class (I, II, III)

Protection class I/ Luminaire with protective conductors.



Protection class II/protection by double or reinforced insulation.



Protection class III/low voltage protection.



## IP

IP rating, determines whether the electrical equipment is suitable for various environmental conditions



## IK

The IK shock resistance level is a measure of the resistance of electrical equipment enclosures to mechanical stress, particularly impact stress



## Connection / application



Specified inrun strength (for recessed luminaires)

Overrun luminaire (for vehicles with pneumatic tyres)



Length of cable with plug or length of cable with open end.



Diameter of luminaire mounting on pole.

## Light emission



Light (up, down)

Determination of the direction of the light beam emission.



Light (narrow down - wide up, narrow up, etc.)

Determination of the direction and angle of the light beam emission.



Swivel and tilt range

Adjustable light direction.



Light angle

Determination of the angle of the light beam emission.

## Main and visual materials used



Steel



Stainless steel



Aluminium



Copper



Wood

## Type of lens



Toughened / safe glass

Luminaire with safe glass diffuser.



PMMA (acrylic glass)

The luminaire uses PMMA (acrylic glass) diffuser.




PC (polycarbonate)

The luminaire uses PC (polycarbonate) diffuser.


# NORLYS



Norlys AS  
P.B 1014 Hoff, 0218 Oslo  
Hovfaret 4B, 0275 Oslo  
Norway

 +47 24 12 40 10

 [www.norlys.com](http://www.norlys.com)

 [firmapost@norlys.no](mailto:firmapost@norlys.no)